Lewis, D.I. and Coote, J.H.
Angiotensin II in the spinal cord of the rat and its sympatho-excitatory effects (614) 1
López-Sañudo, S. and Arilla, E.
Modulation by isoproterenol and propranolol of somatostatin receptors in synaptosomes from rat frontoparietal cortex (614) 171
Lundberg, C., see Campbell, K. (614) 241
Lust, W.D., see LaManna, J.C. (614) 164

Ma, Y.-y., see Cai, J.X. (614) 191
Maeda, Y., see Ohtsuki, T. (614) 279
Margolis, R.L., Chuang, D.-M., Dick, D., Weiss, S.R.B. and Post, R.M.
Effect of cocaine, lidocaine kindling and carbamazepine on batrachotoxin-induced phosphoinositide hydrolysis in rat brain slices (614) 185
Maruniak, J.A., see Baker, H. (614) 109
Matsumoto, M., see Ohtsuki, T. (614) 279
Mochizuki, T., see Ino, H. (614) 131
Molina, P.E., Eltayeb, K., Hourani, H., Okamura, K., Nanney, L.B., Williams, P. and Abumrad, N.N.
Hormonal and metabolic effects of neuroglucopenia (614) 99
Montagnese, C.M., Krebs, J.R., Székely, A.D. and Csillag, A.
A subpopulation of large calbindin-like immunopositive neurones is present in the hippocampal formation in food-storing but not in non-storing species of bird (614) 291
Morel, K., see Baker, H. (614) 109
Mueller, J.L., see Quock, R.M. (614) 52

Nanney, L.B., see Molina, P.E. (614) 99
Newman, S.W., see Wood, R.I. (614) 65
Nguyen-Legros, J., see Vuvan, T. (614) 57

Ogawa, S., see Ohtsuki, T. (614) 279
Ohnishi, S.T., see Tominaga, T. (614) 342
Ohnishi, T., see Tominaga, T. (614) 342
Ohsawa, F., see Widmer, H.R. (614) 325
Ohtsuki, T., Matsumoto, M., Kitagawa, K., Taguchi, A., Maeda, Y., Hata, R., Ogawa, S., Ueda, H., Handa, N. and Kamada, T.
Induced resistance and susceptibility to cerebral ischemia in gerbil hippocampal neurons by prolonged but mild hypoperfusion (614) 279
Okamura, K., see Molina, P.E. (614) 99

Palkovits, M., see Hrdina, P.D. (614) 37
Pan, J.-T., see Tang, K.-C. (614) 125
Parfitt, A., see Schaad, N.C. (614) 251
Patel, P.M., Drummond, J.C., Sano, T., Cole, D.J., Kalkman, C.J. and Yaksh, T.L.
Effect of ibuprofen on regional eicosanoid production and neuronal injury after forebrain ischemia in rats (614) 315
Pickard, G.E., see Sollars, P.J. (614) 212
Planas, B., see Levin, B.E. (614) 146
Poddar, R. and Sarkar, P.K.
Delayed detyrosination of α-tubulin from parallel fibre axons and its correlation with impaired synaptogenesis in hypothyroid rat cerebellum (614) 233
Polan-Curtain, J., see Lasley, S.M. (614) 347
Pollard, C.E.
A volume-sensitive Cl^- conductance in a mouse neuroblastoma × rat dorsal root ganglion cell line (F11) (614) 178
Pollin, B., see Boucher, Y. (614) 155
Post, R.M., see Margolis, R.L. (614) 185

Quock, R.M., Mueller, J.L. and Vaughn, L.K.
Strain-dependent differences in responsiveness of mice to nitrous oxide (N_2O) antinociception (614) 52

Raley-Susman, K.M., Sapolsky, R.M. and Kopito, R.R.
Cl^-/HCO_3^- exchange function differs in adult and fetal rat hippocampal neurons (614) 308
Ransom, B.R., see Waxman, S.G. (614) 137
Rigor, B.M., see Schurr, A. (614) 10
Robinson, G.B., Fluharty, S.J., Zigmond, M.J., Sclabassi, R.J. and Berger, T.W.
Recovery of hippocampal dentate granule cell responsiveness to entorhinal cortical input following norepinephrine depletion (614) 21
Rosengren, E., see Campbell, K. (614) 241
Routh, V.H., see Levin, B.E. (614) 146
Rush, R.A., see Zettler, C. (614) 15
Russell, J.T., see Schaad, N.C. (614) 251
Ruwe, C., see Clement, H.-W. (614) 117

Sano, T., see Patel, P.M. (614) 315
Sapolsky, R.M., see Raley-Susman, K.M. (614) 308
Sarkar, P.K., see Poddar, R. (614) 233
Sato, S., see Tominaga, T. (614) 342
Sawynok, J., see Sweeney, M.I. (614) 301
Schaad, N.C., Parfitt, A., Russell, J.T., Schaffner, A.E., Korf, H.-W. and Klein, D.C.
Single-cell $[Ca^{2+}]_i$ analysis and biochemical characterization of pinealocytes immobilized with novel attachment peptide preparation (614) 251
Schäfer, F., see Clement, H.-W. (614) 117
Schaffner, A.E., see Schaad, N.C. (614) 251
Scheller, D., see Fernandes de Lima, V.M. (614) 45
Schlue, W.R., see Fernandes de Lima, V.M. (614) 45
Schurr, A. and Rigor, B.M.
Kainate toxicity in energy-compromised rat hippocampal slices: differences between oxygen and glucose deprivation (614) 10
Sclabassi, R.J., see Robinson, G.B. (614) 21
Segal, M., see Sklair-Tavron, L. (614) 257
Shook, B.L., see Gorman, L.K. (614) 29
Simon, A., see Vuvan, T. (614) 57
Simon, E.J., see Hiller, J.M. (614) 86
Sklair-Tavron, L. and Segal, M.
Neurotrophic effects of cAMP generating systems on central noradrenergic neurons (614) 257
Snyder, S.H., see Anderson, C.R. (614) 78
Sollars, P.J. and Pickard, G.E.
Time course of fiber outgrowth from fetal anterior hypothalamic heterografts (614) 212
Sótónyi, P., see Hrdina, P.D. (614) 37
Stern, J.S., see Levin, B.E. (614) 146
Stone, D.M., see Baker, H. (614) 109
Strahlendorf, H.K., see Chang, W. (614) 335
Strahlendorf, J.C., see Chang, W. (614) 335
Stys, P.K., see Waxman, S.G. (614) 137
Sweeney, M.I., White, T.D. and Sawynok, J.
Morphine-evoked release of adenosine from the spinal cord occurs via a nucleoside carrier with differential sensitivity to dipyridamole and nitrobenzylthioinosine (614) 301
Székely, A.D., see Montagnese, C.M. (614) 291

Taguchi, A., see Ohtsuki, T. (614) 279
Tang, K.-C. and Pan, J.-T.
Stimulatory effects of bombesin-like peptides on suprachiasmatic neurons in brain slices (614) 125
Tegtmeier, F., see Fernandes de Lima, V.M. (614) 45
Tempel, D.L., Kim, T. and Leibowitz, S.F.
The paraventricular nucleus is uniquely responsive to the feeding stimulatory effects of steroid hormones (614) 197
Tominaga, T., Sato, S., Ohnishi, T. and Ohnishi, S.T.
Potentiation of nitric oxide formation following bilateral carotid occlusion and focal cerebral ischemia in the rat: in vivo detection of the nitric oxide radical by electron paramagnetic resonance spin trapping (614) 342

Ueda, H., see Ohtsuki, T. (614) 279

Vantalon, V., see Haj-Dahmane, S. (614) 270
Vaughn, L.K., see Quock, R.M. (614) 52
Vendel, L.M., see LaManna, J.C. (614) 164
Vu, T.B., see Hrdina, P.D. (614) 37
Vuvan, T., Geffard, M., Denis, P., Simon, A. and Nguyen-Legros, J.
Radioimmunoligand characterization and immunohistochemical localization of dopamine D_2 receptors on rods in the rat retina (614) 57

Waxman, S.G., Black, J.A., Ransom, B.R. and Stys, P.K.
Protection of the axonal cytoskeleton in anoxic optic nerve by decreased extracellular calcium (614) 137
Weidenfeld, J., see Feldman, S. (614) 227
Weiss, S.R.B., see Margolis, R.L. (614) 185
Wesemann, W., see Clement, H.-W. (614) 117
White, T.D., see Sweeney, M.I. (614) 301
Wictorin, K., see Campbell, K. (614) 241

Lewis, D.I. and Coote, J.H.
Angiotensin II in the spinal cord of the rat and its sympatho-excitatory effects (614) 1
López-Sañudo, S. and Arilla, E.
Modulation by isoproterenol and propranolol of somatostatin receptors in synaptosomes from rat frontoparietal cortex (614) 171
Lundberg, C., see Campbell, K. (614) 241
Lust, W.D., see LaManna, J.C. (614) 164

Ma, Y.-y., see Cai, J.X. (614) 191
Maeda, Y., see Ohtsuki, T. (614) 279
Margolis, R.L., Chuang, D.-M., Dick, D., Weiss, S.R.B. and Post, R.M.
Effect of cocaine, lidocaine kindling and carbamazepine on batrachotoxin-induced phosphoinositide hydrolysis in rat brain slices (614) 185
Maruniak, J.A., see Baker, H. (614) 109
Matsumoto, M., see Ohtsuki, T. (614) 279
Mochizuki, T., see Ino, H. (614) 131
Molina, P.E., Eltayeb, K., Hourani, H., Okamura, K., Nanney, L.B., Williams, P. and Abumrad, N.N.
Hormonal and metabolic effects of neuroglucopenia (614) 99
Montagnese, C.M., Krebs, J.R., Székely, A.D. and Csillag, A.
A subpopulation of large calbindin-like immunopositive neurones is present in the hippocampal formation in food-storing but not in non-storing species of bird (614) 291
Morel, K., see Baker, H. (614) 109
Mueller, J.L., see Quock, R.M. (614) 52

Nanney, L.B., see Molina, P.E. (614) 99
Newman, S.W., see Wood, R.I. (614) 65
Nguyen-Legros, J., see Vuvan, T. (614) 57

Ogawa, S., see Ohtsuki, T. (614) 279
Ohnishi, S.T., see Tominaga, T. (614) 342
Ohnishi, T., see Tominaga, T. (614) 342
Ohsawa, F., see Widmer, H.R. (614) 325
Ohtsuki, T., Matsumoto, M., Kitagawa, K., Taguchi, A., Maeda, Y., Hata, R., Ogawa, S., Ueda, H., Handa, N. and Kamada, T.
Induced resistance and susceptibility to cerebral ischemia in gerbil hippocampal neurons by prolonged but mild hypoperfusion (614) 279
Okamura, K., see Molina, P.E. (614) 99

Palkovits, M., see Hrdina, P.D. (614) 37
Pan, J.-T., see Tang, K.-C. (614) 125
Parfitt, A., see Schaad, N.C. (614) 251
Patel, P.M., Drummond, J.C., Sano, T., Cole, D.J., Kalkman, C.J. and Yaksh, T.L.
Effect of ibuprofen on regional eicosanoid production and neuronal injury after forebrain ischemia in rats (614) 315
Pickard, G.E., see Sollars, P.J. (614) 212
Planas, B., see Levin, B.E. (614) 146
Poddar, R. and Sarkar, P.K.
Delayed detyrosination of α-tubulin from parallel fibre axons and its correlation with impaired synaptogenesis in hypothyroid rat cerebellum (614) 233
Polan-Curtain, J., see Lasley, S.M. (614) 347
Pollard, C.E.
A volume-sensitive Cl^- conductance in a mouse neuroblastoma × rat dorsal root ganglion cell line (F11) (614) 178
Pollin, B., see Boucher, Y. (614) 155
Post, R.M., see Margolis, R.L. (614) 185

Quock, R.M., Mueller, J.L. and Vaughn, L.K.
Strain-dependent differences in responsiveness of mice to nitrous oxide (N_2O) antinociception (614) 52

Raley-Susman, K.M., Sapolsky, R.M. and Kopito, R.R.
Cl^-/HCO_3^- exchange function differs in adult and fetal rat hippocampal neurons (614) 308
Ransom, B.R., see Waxman, S.G. (614) 137
Rigor, B.M., see Schurr, A. (614) 10
Robinson, G.B., Fluharty, S.J., Zigmond, M.J., Sclabassi, R.J. and Berger, T.W.
Recovery of hippocampal dentate granule cell responsiveness to entorhinal cortical input following norepinephrine depletion (614) 21
Rosengren, E., see Campbell, K. (614) 241
Routh, V.H., see Levin, B.E. (614) 146
Rush, R.A., see Zettler, C. (614) 15
Russell, J.T., see Schaad, N.C. (614) 251
Ruwe, C., see Clement, H.-W. (614) 117

Sano, T., see Patel, P.M. (614) 315
Sapolsky, R.M., see Raley-Susman, K.M. (614) 308
Sarkar, P.K., see Poddar, R. (614) 233
Sato, S., see Tominaga, T. (614) 342
Sawynok, J., see Sweeney, M.I. (614) 301
Schaad, N.C., Parfitt, A., Russell, J.T., Schaffner, A.E., Korf, H.-W. and Klein, D.C.
Single-cell $[Ca^{2+}]_i$ analysis and biochemical characterization of pinealocytes immobilized with novel attachment peptide preparation (614) 251
Schäfer, F., see Clement, H.-W. (614) 117
Schaffner, A.E., see Schaad, N.C. (614) 251
Scheller, D., see Fernandes de Lima, V.M. (614) 45
Schlue, W.R., see Fernandes de Lima, V.M. (614) 45
Schurr, A. and Rigor, B.M.
Kainate toxicity in energy-compromised rat hippocampal slices: differences between oxygen and glucose deprivation (614) 10
Sclabassi, R.J., see Robinson, G.B. (614) 21
Segal, M., see Sklair-Tavron, L. (614) 257
Shook, B.L., see Gorman, L.K. (614) 29
Simon, A., see Vuvan, T. (614) 57
Simon, E.J., see Hiller, J.M. (614) 86
Sklair-Tavron, L. and Segal, M.
Neurotrophic effects of cAMP generating systems on central noradrenergic neurons (614) 257
Snyder, S.H., see Anderson, C.R. (614) 78
Sollars, P.J. and Pickard, G.E.
Time course of fiber outgrowth from fetal anterior hypothalamic heterografts (614) 212
Sótónyi, P., see Hrdina, P.D. (614) 37
Stern, J.S., see Levin, B.E. (614) 146
Stone, D.M., see Baker, H. (614) 109
Strahlendorf, H.K., see Chang, W. (614) 335
Strahlendorf, J.C., see Chang, W. (614) 335
Stys, P.K., see Waxman, S.G. (614) 137
Sweeney, M.I., White, T.D. and Sawynok, J.
Morphine-evoked release of adenosine from the spinal cord occurs via a nucleoside carrier with differential sensitivity to dipyridamole and nitrobenzylthioinosine (614) 301
Székely, A.D., see Montagnese, C.M. (614) 291

Taguchi, A., see Ohtsuki, T. (614) 279
Tang, K.-C. and Pan, J.-T.
Stimulatory effects of bombesin-like peptides on suprachiasmatic neurons in brain slices (614) 125
Tegtmeier, F., see Fernandes de Lima, V.M. (614) 45
Tempel, D.L., Kim, T. and Leibowitz, S.F.
The paraventricular nucleus is uniquely responsive to the feeding stimulatory effects of steroid hormones (614) 197
Tominaga, T., Sato, S., Ohnishi, T. and Ohnishi, S.T.
Potentiation of nitric oxide formation following bilateral carotid occlusion and focal cerebral ischemia in the rat: in vivo detection of the nitric oxide radical by electron paramagnetic resonance spin trapping (614) 342

Ueda, H., see Ohtsuki, T. (614) 279

Vantalon, V., see Haj-Dahmane, S. (614) 270
Vaughn, L.K., see Quock, R.M. (614) 52
Vendel, L.M., see LaManna, J.C. (614) 164
Vu, T.B., see Hrdina, P.D. (614) 37
Vuvan, T., Geffard, M., Denis, P., Simon, A. and Nguyen-Legros, J.
Radioimmunoligand characterization and immunohistochemical localization of dopamine D_2 receptors on rods in the rat retina (614) 57

Waxman, S.G., Black, J.A., Ransom, B.R. and Stys, P.K.
Protection of the axonal cytoskeleton in anoxic optic nerve by decreased extracellular calcium (614) 137
Weidenfeld, J., see Feldman, S. (614) 227
Weiss, S.R.B., see Margolis, R.L. (614) 185
Wesemann, W., see Clement, H.-W. (614) 117
White, T.D., see Sweeney, M.I. (614) 301
Wictorin, K., see Campbell, K. (614) 241

Widmer, H.R., Ohsawa, F., Knüsel, B. and Hefti, F.
Down-regulation of phosphatidylinositol response to BDNF and NT-3 in cultures of cortical neurons (614) 325
Williams, P., see Molina, P.E. (614) 99
Wood, R.I. and Newman, S.W.
Mating activates androgen receptor-containing neurons in chemosensory pathways of the male Syrian hamster brain (614) 65

Xu, L., see Cai, J.X. (614) 191

Yaksh, T.L., see Patel, P.M. (614) 315
Yanaihara, N., see Ino, H. (614) 131

Zenner, H.P., see Harada, N. (614) 205
Zettler, C. and Rush, R.A.
Elevated concentrations of nerve growth factor in heart and mesenteric arteries of spontaneously hypertensive rats (614) 15
Zigmond, M.J., see Robinson, G.B. (614) 21